

**GOVERNMENT OF ANDHRA PRADESH**  
**ABSTRACT**

Public Services - Roads & Buildings Department - Disciplinary action initiated against (1) Sri N.Satyanarayana, the then Executive Engineer(R&B) Tenali; (Retired); (2) Sri D.Prabhakara Rao, Deputy Executive Engineer (R&B) Repalle (Retired); and (3) Sri A. Mohan Rao, Deputy Executive Engineer (R&B) Repalle (Retired) - Irregularities committed in the work of "Improvements to Vellaturu - Pedapullvarru - Penumdi road in Guntur Dist." - Further action dropped - Orders - Issued.

-----  
TRANSPORT, ROADS & BUILDINGS (VIG.I) DEPARTMENT

**G.O.Rt. No. 1020 .**

**Dated:23-10-2013**

**Read the following:**

1. From the Engineer-In-Chief (R&B) Admn., Hyderabad Letter No.884/VC (6)/2010,dt.28.07.2010.
2. G.O.Rt.No.110 TR&B (Vig.I) Dept., dt.31.01.2011.
3. G.O.Rt.No.111 TR&B (Vig.I) Dept., dt.31.01.2011.
4. Memo.No.884/VC(6)/2010-1, dt.28.7.2010 of ENC (R&B), Admn., Hyderabad.
5. From Sri N.Satyanarayana, EE (R&B)( Retd)., representation dt.28.06.2011.
6. From Sri D.Prabhakar Rao, Dy.E.E.(R&B) (Retd)., representation dt.22.05.2011.
7. From Sri A. Mohan Rao, Dy.E.E.(R&B)( Retd)., representation dt.08.09.2010.
8. From the Engineer-In-Chief (R&B) Admn., Hyderabad Letter No.884/VC (6)/2010-3, Dt.24.12.2011

\*\*\*

**ORDER:**

Charges were framed against (1) Sri N.Satyanarayana, the then Executive Engineer,(R&B) Tenali; (Retd.); (2) Sri D.Prabhakara Rao, the then Deputy Executive Engineer (R&B) Repalle (Retd.); and (3) Sri A. Mohan Rao, Deputy Executive Engineer (R&B) Repalle (Retd.); vide references 2<sup>nd</sup> to 4<sup>th</sup> read above, respectively, for their failure to prepare and submit original estimate correctly, relating to the earth work quantity in respect of the work of "Improvements to Vellaturu - Pedapullvarru - Penumdi road from Km 6/0 to 12/140 in Guntur District"; and, they submitted their written statement of defence, vide reference 5<sup>th</sup> to 7<sup>th</sup> read above.

2. On the abovesaid written statement of defence of the Charged Officers, the Chief Engineer (R&B) Administration, vide reference 8<sup>th</sup> read above, has informed that the excess quantity was due to variation in ground levels taken at 100m intervals, as against intervals 10m, adopted, while preparing the original sanctioned estimate and also due to certain arithmetical errors in original estimate; and, he has recommended dropping of charges against the above said Charged Officers.

3. Government, after examination of the matter, decide and hereby drop further action against (1) Sri N.Satyanarayana, the then Executive Engineer (R&B) Tenali; (Retd. on 28.2.2010); (2) Sri D.Prabhakara Rao, Deputy Executive Engineer (R&B) Repalle (Retd. on 30.09.2008); and

**(P.T.O)**

(3) Sri A. Mohan Rao, Deputy Executive Engineer (R&B) Repalle (Retd.on 31.5.2012), in respect of the work of "Improvements to Vellaturu – Pedapullvarru – Penumdi road from Km 6/0 to 12/140, in Guntur District."

4. The Engineer-in-Chief (R&B) Administration, Hyderabad shall take further necessary action in the matter accordingly.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

**B.SAM BOB**  
**PRINCIPAL SECRETARY TO GOVERNMENT**

To

The Individuals (through the ENC (R&B) Admn., Hyderabad.

The Engineer-in-Chief (R&B) Administration, AP, Hyderabad.

Copy to:-

The Principal Accountant General, A.P., Hyderabad.

The Deputy Accountant General (Pensions) A.P., Hyderabad.

The P.S. to Principal Secretary to Govt. (R&B), TR&B Department.

SF/SC.

**//FORWARDED BY ORDER//**

**SECTION OFFICER**